



TITLE:

Consistency proof of a fragment of PV with substitution in bounded arithmetic (Proof theory and proving)

AUTHOR(S):

Yamagata, Yoriyuki

CITATION:

Yamagata, Yoriyuki. Consistency proof of a fragment of PV with substitution in bounded arithmetic (Proof theory and proving). 数理解析研究所講究録 2018, 2083: 111-112

ISSUE DATE:

2018-08

URL:

<http://hdl.handle.net/2433/242200>

RIGHT:

Consistency proof of a fragment of PV with substitution in bounded arithmetic

Yoriyuki Yamagata

National Institute of Advanced Industrial Science and Technology (AIST)

1 Summary

This paper presents proof that Buss's S_2^2 can prove the consistency of a fragment of Cook and Urquhart's PV [4, 3] from which induction has been removed but substitution has been retained. This result improves Beckmann's result [1], which proves the consistency of such a system without substitution in bounded arithmetic S_2^1 .

Our proof relies on the notion of “computation” of the terms of PV [5]. In our work, we first prove that, in the system under consideration, if an equation is proved and either its left- or right-hand side is computed, then there is a corresponding computation for its right- or left-hand side, respectively. By carefully computing the bound of the size of the computation, the proof of this theorem inside a bounded arithmetic is obtained, from which the consistency of the system is readily proven.

This result apparently implies the separation of bounded arithmetic because Buss and Ignjatović stated that it is not possible to prove the consistency of a fragment of PV without induction but with substitution in Buss's S_2^1 [2]. However, their proof actually shows that it is not possible to prove the consistency of the system, which is obtained by the addition of propositional logic and other axioms to a system such as ours. On the other hand, the system that we have considered is strictly equational, which is a property on which our proof relies.

References

- [1] A. Beckmann. Proving consistency of equational theories in bounded arithmetic. *Journal of Symbolic Logic*, 67(1):279–296, mar 2002.
- [2] S. R. Buss and A. Ignjatović. Unprovability of consistency statements in fragments of bounded arithmetic. *Annals of pure and applied Logic*, 74:221–244, 1995.

- [3] S. Cook and A. Urquhart. Functional interpretations of feasibly constructive arithmetic. *Annals of Pure and Applied Logic*, 63(2):103–200, sep 1993.
- [4] Stephen A Cook. Feasibly constructive proofs and the propositional calculus (preliminary version). In *Proceedings of seventh annual ACM symposium on Theory of computing*, pages 83–97. ACM, 1975.
- [5] G. Kahn. Natural semantics. In *Annual Symposium on Theoretical Aspects of Computer Science*, pages 22–39. Springer, 1987.

National Institute of Advanced Industrial Science and Technology (AIST)
1-8-31 Midorigaoka
Ikeda
Osaka 563-8577
Japan
E-mail address: yoriyuki.yamagata@aist.go.jp

国立研究開発法人産業技術総合研究所 山形頼之